

AMENDMENTS TO THE CLAIMS

Please amend the claims as follow:

1. (currently amended) A digital service system comprising a ~~personal~~client computer, a service server and a center server, wherein said service server includes a first transmitting device for sending said center server data indicating content of a service implemented in said service server, data indicating the authorization level of the service and address data indicating the ~~address~~network address of the ~~contents~~said service server;

said client computer includes a second transmitting device for sending said center server a service-list request command; and

said center server includes:

a storage control device for storing the service-content data, service authorization-level data and address data, which has been transmitted from said first transmitting device of said service server, in a management table;

a service-list generating device for generating a service list, which includes service content and ~~address~~network address of said service server, from the data that has been stored in the management table, based upon the service authorization level in response to the service-list request command transmitted from said second transmitting device of said client computer; and

a third transmitting device for sending said client computer data indicating the service list that has been generated by said service-list generating device.

2. (previously presented) The system according to claim 1, wherein said client computer further includes a fourth transmitting device for transmitting a service request to a service server having an address contained in a service list represented by service list data that has been transmitted from said third transmitting device of said center server.

3. (previously presented) The system according to claim 1, wherein said service server further includes:

an authentication device for authenticating said client computer in response to a service request transmitted from said fourth transmitting device of said client computer; and

a service execution device for executing processing, which is based upon the service request transmitted from said fourth transmitting device of said client computer, in response to authentication by said authentication device.

4. (currently amended) A center server comprising:

a storage control device for receiving data indicating content of a service by a service server, data indicating service authorization and data indicating an address, these items of data being transmitted from the service server, and storing this data in a management table;

a service-list generating device for generating a service list, which includes service content and ~~address~~network address of said service server, from the data that has been stored in the management table, based upon a service authorization level in response to a service-list request command transmitted from a client computer; and

a transmitting device for sending the client computer data indicating the service list that has been generated by said service-list generating device.

5. (currently amended) A method of controlling a center server, comprising the steps of:

receiving, and storing in a management table, data indicating content of a service by a service server, data indicating service authorization and data indicating an address, these items of data being transmitted from the service server;

generating a service list, which includes service content and ~~address~~network address of the service server, from the data that has been stored in the management table, based upon a

service authorization level in response to a service-list request command transmitted from a client computer; and

sending the client computer data indicating the service list that has been generated.

6. (currently amended) A computer readable medium having stored thereon a computer executable program for controlling a center server so as to:

receive, and store in a management table, data indicating content of a service by a service server, data indicating service authorization and data indicating an address, these items of data being transmitted from the service server; and

generate a service list, which includes service content and ~~address~~network address of the service server, from the data that has been stored in the management table, based upon a service authorization level in response to a service-list request command transmitted from a client computer; and

send data indicating the generated service list to a client computer.

7. cancelled

8. (new) The digital service system of claim 1 wherein said network address further comprises an Internet Protocol (IP) address.

9. (new) The center server of claim 4 wherein said network address further comprises an Internet Protocol (IP) address.

10. (new) The method of claim 5 wherein said network address further comprises an Internet Protocol (IP) address.

11. (new) The medium of claim 6 wherein said network address further comprises an Internet Protocol (IP) address.